




d₁ 25 ÷ 106d₁ 112 ÷ 800
2100-5100

Dimensioni in pollici - Dimensions in inches - Abmessungen in Zoll

Ring n°	d ₁	s		d ₃		a		b		c		d ₅	
25	.250	.025	+ .002 - .002	.225	+ .002 - .004	.080	+ .003 - .003	.035	+ .003 - .003	.025	+ .003 - .003	.041	+ .010 - .002
27	.276	.025	+ .002 - .002	.250	+ .002 - .005	.081	+ .003 - .003	.035	+ .003 - .003	.024	+ .003 - .003	.041	+ .010 - .002
28	.281	.025	+ .002 - .002	.256	+ .002 - .005	.080	+ .003 - .003	.038	+ .003 - .003	.025	+ .003 - .003	.041	+ .010 - .002
31	.312	.025	+ .002 - .002	.281	+ .002 - .005	.087	+ .003 - .003	.040	+ .003 - .003	.026	+ .003 - .003	.041	+ .010 - .002
34	.344	.025	+ .002 - .002	.309	+ .002 - .005	.087	+ .003 - .003	.042	+ .003 - .003	.027	+ .003 - .003	.041	+ .010 - .002
35	.354	.025	+ .002 - .002	.320	+ .002 - .005	.087	+ .003 - .003	.046	+ .003 - .003	.029	+ .003 - .003	.041	+ .010 - .002
37	.375	.025	+ .002 - .002	.338	+ .002 - .005	.088	+ .003 - .003	.050	+ .003 - .003	.031	+ .003 - .003	.041	+ .010 - .002
39	.394	.025	+ .002 - .002	.354	+ .002 - .005	.087	+ .003 - .003	.052	+ .003 - .003	.031	+ .003 - .003	.041	+ .010 - .002
40	.406	.025	+ .002 - .002	.366	+ .002 - .005	.087	+ .003 - .003	.054	+ .003 - .003	.033	+ .003 - .003	.041	+ .010 - .002
43	.438	.025	+ .002 - .002	.395	+ .002 - .005	.088	+ .003 - .003	.055	+ .003 - .003	.033	+ .003 - .003	.041	+ .010 - .002
46	.469	.025	+ .002 - .002	.428	+ .002 - .005	.088	+ .003 - .003	.060	+ .003 - .003	.035	+ .003 - .003	.041	+ .010 - .002
50	.500	.035	+ .002 - .002	.461	+ .002 - .005	.108	+ .003 - .003	.065	+ .004 - .004	.040	+ .004 - .004	.047	+ .010 - .002
55	.551	.035	+ .002 - .002	.509	+ .005 - .010	.108	+ .003 - .003	.053	+ .004 - .004	.036	+ .004 - .004	.047	+ .010 - .002
56	.562	.035	+ .002 - .002	.521	+ .005 - .010	.108	+ .003 - .003	.072	+ .004 - .004	.041	+ .004 - .004	.047	+ .010 - .002
59	.594	.035	+ .002 - .002	.550	+ .005 - .010	.109	+ .003 - .003	.076	+ .004 - .004	.043	+ .004 - .004	.047	+ .010 - .002
62	.625	.035	+ .002 - .002	.579	+ .005 - .010	.110	+ .003 - .003	.080	+ .004 - .004	.045	+ .004 - .004	.047	+ .010 - .002
66	.669	.035	+ .002 - .002	.621	+ .005 - .010	.110	+ .003 - .003	.082	+ .004 - .004	.043	+ .004 - .004	.047	+ .010 - .002
66	.672	.035	+ .002 - .002	.621	+ .005 - .010	.110	+ .003 - .003	.082	+ .004 - .004	.043	+ .004 - .004	.047	+ .010 - .002
68	.688	.042	+ .002 - .002	.635	+ .005 - .010	.136	+ .004 - .004	.084	+ .005 - .005	.048	+ .005 - .005	.052	+ .010 - .002
75	.750	.042	+ .002 - .002	.693	+ .005 - .010	.136	+ .004 - .004	.092	+ .005 - .005	.051	+ .005 - .005	.052	+ .010 - .002
78	.781	.042	+ .002 - .002	.722	+ .005 - .010	.136	+ .004 - .004	.094	+ .005 - .005	.052	+ .005 - .005	.052	+ .010 - .002

segue - to continue - Fortsetzung folgt


 Dimensioni sede
 Housing dimensions
 Nutmaße

 Dimensioni anello
 Ring dimensions
 Ringmaße

 Dati Complementari
 Supplementary data
 Ergänzende Daten

 Libbre per 1.000 pezzi
 Pound per 1.000 pieces
 Pfund je 1.000 St.

 Pinza
 Plier
 Zange



2100-5100

1b

Dimensioni in pollici - Dimensions in inches - Abmessungen in Zoll

Ring n°	d ₁	d ₂	m	n	F _N	F _R	g	F _{Rg}	nabi	lbs	Pinza
25	.250	.230 +.0015 -.0015	.029 +.003 -.000	.030	175	599	.011	470	80000	.211	AO AO1
27	.276	.255 +.0020 -.0020	.029 +.003 -.000	.031	195	660	.011	470	76000	.220	AO AO1
28	.281	.261 +.0020 -.0020	.029 +.003 -.000	.030	200	670	.012	470	74000	.264	AO AO1
31	.312	.290 +.0020 -.0020	.029 +.003 -.000	.033	240	751	.012	470	70000	.284	AO AO1
34	.344	.321 +.0020 -.0020	.029 +.003 -.000	.033	265	812	.013	470	64000	.308	AO AO1
35	.354	.330 +.0020 -.0020	.029 +.003 -.000	.036	300	832	.014	470	62000	.352	AO AO1
37	.375	.352 +.0020 -.0020	.029 +.003 -.000	.036	320	883	.016	470	60000	.372	AO AO1
39	.394	.369 +.0020 -.0020	.029 +.003 -.000	.037	335	954	.016	470	56500	.396	AO AO1
40	.406	.382 +.0020 -.0020	.029 +.003 -.000	.036	350	964	.017	470	55000	.418	AO AO1
43	.438	.412 +.0020 -.0020	.029 +.003 -.000	.039	400	1035	.018	470	50000	.453	AO AO1
46	.469	.443 +.0020 -.0020	.029 +.003 -.000	.039	450	1117	.018	470	42000	.572	AO AO1
50	.500	.468 +.0020 -.0020	.039 +.003 -.000	.048	550	1675	.020	910	40000	.902	AO AO1
55	.551	.519 +.0020 -.0020	.039 +.003 -.000	.048	600	1800	.017	910	36000	.814	AO AO1
56	.562	.530 +.0020 -.0020	.039 +.003 -.000	.048	650	1878	.023	910	35000	1,100	AO AO1
59	.594	.559 +.0030 -.0030	.039 +.003 -.000	.052	750	1979	.024	910	32000	1,188	AO AO1
62	.625	.588 +.0030 -.0030	.039 +.003 -.000	.055	800	2091	.025	910	30000	1,311	AO AO1
66	.669	.629 +.0030 -.0030	.039 +.003 -.000	.060	950	2233	.024	910	29000	1,408	AO AO1
66	.672	.631 +.0030 -.0030	.039 +.003 -.000	.060	950	2233	.024	910	29000	1,408	AO AO1
68	.688	.646 +.0030 -.0030	.046 +.003 -.000	.063	1000	3451	.025	1340	28000	1,760	AO AO1
75	.750	.704 +.0030 -.0030	.046 +.003 -.000	.069	1200	3756	.028	1340	26500	2,112	AO AO1
78	.781	.733 +.0030 -.0030	.046 +.003 -.000	.072	1300	3959	.028	1340	25500	2,156	AO AO1

segue - to continue - Fortsetzung folgt




Dimensioni sede
Housing dimensions
Nutmaße

Dimensioni anello
Ring dimensions
Ringmaße

Dati Complementari
Supplementary data
Ergänzende Daten

Libbre per 1.000 pezzi
Pound per 1.000 pieces
Pfund je 1.000 St.

Pinza
Plier
Zange


 $d_1 \ 25 \div 106$

 $d_1 \ 112 \div 800$

2100-5100

Dimensioni in pollici - Dimensions in inches - Abmessungen in Zoll

Ring n°	d ₁	s		d ₃		a		b		c		d ₅	
81	,812	,042	+ ,002 - ,002	,751	+ ,005 - ,010	,136	+ ,004 - ,004	,096	+ ,005 - ,005	,054	+ ,005 - ,005	,052	+ ,010 - ,002
84	,844	,042	+ ,002 - ,002	,780	+ ,005 - ,010	,137	+ ,004 - ,004	,100	+ ,005 - ,005	,057	+ ,005 - ,005	,052	+ ,010 - ,002
87	,875	,042	+ ,002 - ,002	,810	+ ,005 - ,010	,137	+ ,004 - ,004	,104	+ ,005 - ,005	,057	+ ,005 - ,005	,052	+ ,010 - ,002
93	,938	,042	+ ,002 - ,002	,867	+ ,005 - ,010	,166	+ ,004 - ,004	,110	+ ,005 - ,005	,063	+ ,005 - ,005	,078	+ ,015 - ,002
98	,984	,042	+ ,002 - ,002	,910	+ ,005 - ,010	,167	+ ,004 - ,004	,114	+ ,005 - ,005	,064	+ ,005 - ,005	,078	+ ,015 - ,002
100	1,000	,042	+ ,002 - ,002	,925	+ ,005 - ,010	,167	+ ,004 - ,004	,116	+ ,005 - ,005	,065	+ ,005 - ,005	,078	+ ,015 - ,002
102	1,023	,042	+ ,002 - ,002	,946	+ ,005 - ,010	,168	+ ,004 - ,004	,118	+ ,005 - ,005	,066	+ ,005 - ,005	,078	+ ,015 - ,002
106	1,062	,050	+ ,002 - ,002	,982	+ ,010 - ,015	,181	+ ,004 - ,004	,122	+ ,006 - ,006	,069	+ ,006 - ,006	,078	+ ,015 - ,002
112	1,125	,050	+ ,002 - ,002	1,041	+ ,010 - ,015	,181	+ ,006 - ,006	,181	+ ,006 - ,006	,085	+ ,006 - ,006	,087	+ ,000 - ,008
118	1,188	,050	+ ,002 - ,002	1,098	+ ,010 - ,015	,181	+ ,006 - ,006	,181	+ ,006 - ,006	,085	+ ,006 - ,006	,087	+ ,000 - ,008
125	1,250	,050	+ ,002 - ,002	1,156	+ ,010 - ,015	,181	+ ,006 - ,006	,181	+ ,006 - ,006	,087	+ ,006 - ,006	,108	+ ,000 - ,010
131	1,312	,050	+ ,002 - ,002	1,214	+ ,010 - ,015	,181	+ ,006 - ,006	,181	+ ,006 - ,006	,094	+ ,006 - ,006	,108	+ ,000 - ,010
137	1,375	,050	+ ,002 - ,002	1,272	+ ,010 - ,015	,181	+ ,006 - ,006	,181	+ ,006 - ,006	,100	+ ,006 - ,006	,108	+ ,000 - ,010
143	1,438	,050	+ ,002 - ,002	1,333	+ ,010 - ,015	,201	+ ,006 - ,006	,201	+ ,006 - ,006	,096	+ ,008 - ,008	,108	+ ,000 - ,010
150	1,500	,050	+ ,002 - ,002	1,387	+ ,010 - ,015	,201	+ ,006 - ,006	,201	+ ,006 - ,006	,096	+ ,008 - ,008	,108	+ ,000 - ,010
156	1,562	,062	+ ,003 - ,003	1,446	+ ,013 - ,020	,213	+ ,006 - ,006	,213	+ ,006 - ,006	,098	+ ,008 - ,008	,108	+ ,000 - ,010
162	1,625	,062	+ ,003 - ,003	1,503	+ ,013 - ,020	,213	+ ,006 - ,006	,213	+ ,006 - ,006	,098	+ ,008 - ,008	,108	+ ,000 - ,010
168	1,688	,062	+ ,003 - ,003	1,560	+ ,013 - ,020	,213	+ ,006 - ,006	,213	+ ,006 - ,006	,100	+ ,008 - ,008	,108	+ ,000 - ,010
175	1,750	,062	+ ,003 - ,003	1,618	+ ,013 - ,020	,213	+ ,006 - ,006	,213	+ ,006 - ,006	,100	+ ,008 - ,008	,108	+ ,000 - ,010
177	1,772	,062	+ ,003 - ,003	1,637	+ ,013 - ,020	,213	+ ,006 - ,006	,213	+ ,006 - ,006	,100	+ ,008 - ,008	,108	+ ,000 - ,010
181	1,812	,062	+ ,003 - ,003	1,675	+ ,013 - ,020	,213	+ ,006 - ,006	,213	+ ,006 - ,006	,102	+ ,008 - ,008	,108	+ ,000 - ,010

segue - to continue - Fortsetzung folgt


 Dimensioni sede
 Housing dimensions
 Nutmaße

 Dimensioni anello
 Ring dimensions
 Ringmaße

 Dati Complementari
 Supplementary data
 Ergänzende Daten

 Libbre per 1.000 pezzi
 Pound per 1.000 pieces
 Pfund je 1.000 St.

 Pinza
 Plier
 Zange



2100-5100

1b

Dimensioni in pollici - Dimensions in inches - Abmessungen in Zoll

Ring n°	d1	d2		m		n	FN	FR	g	FRg	nabi	lbs	Pinza	
			+ .003 - .003		+ .003 - .000								AO	AO1
81	.812	.762		.046		.075	1450	4060	.028	1340	24500	2,354	AO	AO1
84	.844	.791		.046		.078	1500	4200	.028	1340	24000	2,596	AO	AO1
87	.875	.821		.046		.081	1650	4365	.031	1340	23000	2,772	AO	AO1
93	.938	.882		.046		.084	1850	4720	.033	1340	21500	3,168	A1	A11
98	.984	.926		.046		.087	2000	4923	.034	1340	20500	3,388	A1	A11
100	1,000	.940		.046		.090	2100	5024	.034	1340	20000	3,483	A1	A11
102	1,023	.961		.046		.093	2250	5126	.035	1340	19500	3,740	A1	A11
106	1,062	.998		.056		.096	2400	6293	.036	1950	19000	4,884	A1	A11
112	1,125	1,059		.056		.099	2600	6699	.038	1950	18800	6,138	A2	A21
118	1,188	1,118		.056		.105	2950	7105	.039	1950	18000	7,344	A2	A21
125	1,250	1,176		.056		.111	3250	7460	.041	1950	17000	7,834	A2	A21
131	1,312	1,232		.056		.120	3700	7866	.041	1950	16500	7,546	A2	A21
137	1,375	1,291		.056		.126	4100	8222	.043	1950	16000	8,257	A2	A21
143	1,438	1,350		.056		.132	4500	8628	.045	1950	15000	8,382	A2	A21
150	1,500	1,406		.056		.141	5000	8932	.047	1950	14800	8,536	A2	A21
156	1,562	1,468		.068		.141	5200	11571	.049	3000	14000	13,706	A3	A31
162	1,625	1,529		.068		.144	5500	12028	.052	3000	13200	15,620	A3	A31
168	1,688	1,589		.068		.148	5850	12535	.054	3000	13000	14,890	A3	A31
175	1,750	1,650		.068		.150	6200	12992	.054	3000	12200	17,512	A3	A31
177	1,772	1,669		.068		.154	6400	13144	.055	3000	11700	17,512	A3	A31
181	1,812	1,708		.068		.156	6650	13449	.055	3000	11500	16,544	A3	A31

segue - to continue - Fortsetzung folgt



Dimensioni sede
Housing dimensions
Nutmaße

Dimensioni anello
Ring dimensions
Ringmaße

Dati Complementari
Supplementary data
Ergänzende Daten

Libbre per 1.000 pezzi
Pound per 1.000 pieces
Pfund je 1.000 St.

Pinza
Plier
Zange


 $d_1 \ 25 \div 106$

 $d_1 \ 112 \div 800$

2100-5100

Dimensioni in pollici - Dimensions in inches - Abmessungen in Zoll

Ring n°	d ₁	s		d ₃		a		b		c		d ₅	
187	1,875	,062	+ ,003 - ,003	1,735	+ ,013 - ,020	,213	+ ,006 - ,006	,213	+ ,006 - ,006	,102	+ ,008 - ,008	,108	+ ,000 - ,010
196	1,969	,062	+ ,003 - ,003	1,819	+ ,013 - ,020	,213	+ ,006 - ,006	,213	+ ,006 - ,006	,110	+ ,008 - ,008	,108	+ ,000 - ,010
200	2,000	,062	+ ,003 - ,003	1,850	+ ,013 - ,020	,213	+ ,006 - ,006	,213	+ ,006 - ,006	,110	+ ,008 - ,008	,108	+ ,000 - ,010
206	2,062	,078	+ ,003 - ,003	1,906	+ ,015 - ,025	,209	+ ,006 - ,006	,209	+ ,006 - ,006	,110	+ ,010 - ,010	,108	+ ,000 - ,010
212	2,125	,078	+ ,003 - ,003	1,964	+ ,015 - ,025	,209	+ ,006 - ,006	,209	+ ,006 - ,006	,112	+ ,010 - ,010	,108	+ ,000 - ,010
215	2,156	,078	+ ,003 - ,003	1,993	+ ,015 - ,025	,209	+ ,006 - ,006	,209	+ ,006 - ,006	,112	+ ,010 - ,010	,108	+ ,000 - ,010
225	2,250	,078	+ ,003 - ,003	2,081	+ ,015 - ,025	,209	+ ,006 - ,006	,209	+ ,006 - ,006	,112	+ ,010 - ,010	,108	+ ,000 - ,010
231	2,312	,078	+ ,003 - ,003	2,139	+ ,015 - ,025	,209	+ ,006 - ,006	,209	+ ,006 - ,006	,114	+ ,010 - ,010	,108	+ ,000 - ,010
237	2,375	,078	+ ,003 - ,003	2,197	+ ,015 - ,025	,209	+ ,006 - ,006	,209	+ ,006 - ,006	,114	+ ,010 - ,010	,108	+ ,000 - ,010
243	2,438	,078	+ ,003 - ,003	2,255	+ ,015 - ,025	,209	+ ,006 - ,006	,209	+ ,006 - ,006	,118	+ ,010 - ,010	,108	+ ,000 - ,010
250	2,500	,078	+ ,003 - ,003	2,313	+ ,015 - ,025	,209	+ ,006 - ,006	,209	+ ,006 - ,006	,118	+ ,010 - ,010	,108	+ ,000 - ,010
255	2,559	,078	+ ,003 - ,003	2,377	+ ,020 - ,030	,248	+ ,008 - ,008	,248	+ ,008 - ,008	,132	+ ,012 - ,012	,128	+ ,000 - ,010
262	2,625	,078	+ ,003 - ,003	2,428	+ ,020 - ,030	,248	+ ,008 - ,008	,248	+ ,008 - ,008	,134	+ ,012 - ,012	,128	+ ,000 - ,010
268	2,688	,078	+ ,003 - ,003	2,485	+ ,020 - ,030	,248	+ ,008 - ,008	,248	+ ,008 - ,008	,134	+ ,012 - ,012	,128	+ ,000 - ,010
275	2,750	,093	+ ,003 - ,003	2,543	+ ,020 - ,030	,260	+ ,008 - ,008	,260	+ ,008 - ,008	,136	+ ,012 - ,012	,128	+ ,000 - ,010
287	2,875	,093	+ ,003 - ,003	2,659	+ ,020 - ,030	,260	+ ,008 - ,008	,260	+ ,008 - ,008	,136	+ ,012 - ,012	,128	+ ,000 - ,010
293	2,938	,093	+ ,003 - ,003	2,717	+ ,020 - ,030	,260	+ ,008 - ,008	,260	+ ,008 - ,008	,138	+ ,012 - ,012	,128	+ ,000 - ,010
300	3,000	,093	+ ,003 - ,003	2,775	+ ,020 - ,030	,260	+ ,008 - ,008	,260	+ ,008 - ,008	,140	+ ,012 - ,012	,128	+ ,000 - ,010
306	3,062	,093	+ ,003 - ,003	2,832	+ ,020 - ,030	,260	+ ,008 - ,008	,260	+ ,008 - ,008	,140	+ ,012 - ,012	,128	+ ,000 - ,010
312	3,125	,093	+ ,003 - ,003	2,892	+ ,020 - ,030	,260	+ ,008 - ,008	,260	+ ,008 - ,008	,140	+ ,012 - ,012	,128	+ ,000 - ,010
315	3,156	,093	+ ,003 - ,003	2,920	+ ,020 - ,030	,260	+ ,008 - ,008	,260	+ ,008 - ,008	,142	+ ,012 - ,012	,128	+ ,000 - ,010

segue - to continue - Fortsetzung folgt


 Dimensioni sede
 Housing dimensions
 Nutmaße

 Dimensioni anello
 Ring dimensions
 Ringmaße

 Dati Complementari
 Supplementary data
 Ergänzende Daten

 Libbre per 1.000 pezzi
 Pound per 1.000 pieces
 Pfund je 1.000 St.

 Pinza
 Plier
 Zange



2100-5100

1b

Dimensioni in pollici - Dimensions in inches - Abmessungen in Zoll

Ring n°	d ₁	d ₂		m		n	F _N	F _R	g	F _{Rg}	nabl	lbs	Pinza	
													A3	A31
187	1,875	1,769	+ ,005 - ,005	,068	+ ,004 - ,000	,159	7000	13906	,056	3000	11000	18,238	A3	A31
196	1,969	1,857	+ ,005 - ,005	,068	+ ,004 - ,000	,168	7800	14565	,056	3000	10500	19,316	A3	A31
200	2,000	1,886	+ ,005 - ,005	,068	+ ,004 - ,000	,171	8050	14819	,057	3000	10000	17,996	A3	A31
206	2,062	1,946	+ ,006 - ,006	,086	+ ,005 - ,000	,174	8450	19234	,059	5000	9600	22,110	A3	A31
212	2,125	2,003	+ ,006 - ,006	,086	+ ,005 - ,000	,183	9150	19793	,059	5000	9500	23,980	A3	A31
215	2,156	2,032	+ ,006 - ,006	,086	+ ,005 - ,000	,186	9450	20097	,058	5000	9400	24,024	A3	A31
225	2,250	2,120	+ ,006 - ,006	,086	+ ,005 - ,000	,195	10350	21011	,060	5000	9200	24,882	A3	A31
231	2,312	2,178	+ ,006 - ,006	,086	+ ,005 - ,000	,201	10950	21518	,060	5000	9000	25,476	A3	A31
237	2,375	2,239	+ ,006 - ,006	,086	+ ,005 - ,000	,204	11400	22127	,060	5000	8800	26,576	A3	A31
243	2,438	2,299	+ ,006 - ,006	,086	+ ,005 - ,000	,207	11900	22736	,061	5000	8600	28,028	A3	A31
250	2,500	2,360	+ ,006 - ,006	,086	+ ,005 - ,000	,210	12350	23345	,062	5000	8400	28,446	A3	A31
255	2,559	2,419	+ ,006 - ,006	,086	+ ,005 - ,000	,210	12650	23853	,065	5000	8200	33,660	A3	A31
262	2,625	2,481	+ ,006 - ,006	,086	+ ,005 - ,000	,216	13350	24462	,066	5000	8000	35,882	A3	A31
268	2,688	2,541	+ ,006 - ,006	,086	+ ,005 - ,000	,219	13850	25071	,067	5000	7900	35,640	A3	A31
275	2,750	2,602	+ ,006 - ,006	,103	+ ,005 - ,000	,222	14400	30551	,067	7350	7600	44,792	A3	A31
287	2,875	2,721	+ ,006 - ,006	,103	+ ,005 - ,000	,231	15650	31973	,069	7350	7300	45,210	A3	A31
293	2,938	2,779	+ ,006 - ,006	,103	+ ,005 - ,000	,237	16400	32683	,070	7350	7200	53,460	A3	A31
300	3,000	2,838	+ ,006 - ,006	,103	+ ,005 - ,000	,243	17200	33394	,070	7350	6700	48,400	A3	A31
306	3,062	2,898	+ ,006 - ,006	,103	+ ,005 - ,000	,246	17750	34003	,064	7350	6600	50,314	A3	A31
312	3,125	2,957	+ ,006 - ,006	,103	+ ,005 - ,000	,252	18550	34815	,072	7350	6600	51,370	A3	A31
315	3,156	2,986	+ ,006 - ,006	,103	+ ,005 - ,000	,255	18950	35119	,072	7350	6500	51,502	A3	A31

segue - to continue - Fortsetzung folgt



Dimensioni sede
Housing dimensions
Nutmaße

Dimensioni anello
Ring dimensions
Ringmaße

Dati Complementari
Supplementary data
Ergänzende Daten

Libbre per 1.000 pezzi
Pound per 1.000 pieces
Pfund je 1.000 St.

Pinza
Plier
Zange


2100-5100
 $d_1 \ 25 \div 106$

 $d_1 \ 112 \div 800$


Dimensioni in pollici - Dimensions in inches - Abmessungen in Zoll

Ring n°	d ₁	s		d ₃		a		b		c		d ₅	
325	3,250	,093	+ ,003 - ,003	3,006	+ ,020 - ,030	,260	+ ,008 - ,008	,260	+ ,008 - ,008	,144	+ ,012 - ,012	,128	+ ,000 - ,010
334	3,346	,093	+ ,003 - ,003	3,092	+ ,020 - ,030	,295	+ ,008 - ,008	,295	+ ,008 - ,008	,161	+ ,012 - ,012	,150	+ ,000 - ,012
343	3,438	,093	+ ,003 - ,003	3,179	+ ,020 - ,030	,295	+ ,008 - ,008	,295	+ ,008 - ,008	,163	+ ,012 - ,012	,150	+ ,000 - ,012
350	3,500	,109	+ ,003 - ,003	3,237	+ ,020 - ,030	,315	+ ,012 - ,012	,315	+ ,012 - ,012	,165	+ ,012 - ,012	,150	+ ,000 - ,012
354	3,543	,109	+ ,003 - ,003	3,277	+ ,020 - ,030	,315	+ ,012 - ,012	,315	+ ,012 - ,012	,165	+ ,012 - ,012	,150	+ ,000 - ,012
362	3,625	,109	+ ,003 - ,003	3,352	+ ,020 - ,030	,315	+ ,012 - ,012	,315	+ ,012 - ,012	,165	+ ,012 - ,012	,150	+ ,000 - ,012
368	3,688	,109	+ ,003 - ,003	3,410	+ ,020 - ,030	,315	+ ,012 - ,012	,315	+ ,012 - ,012	,169	+ ,012 - ,012	,150	+ ,000 - ,012
375	3,750	,109	+ ,003 - ,003	3,468	+ ,020 - ,030	,315	+ ,012 - ,012	,315	+ ,012 - ,012	,171	+ ,012 - ,012	,150	+ ,000 - ,012
387	3,875	,109	+ ,003 - ,003	3,584	+ ,020 - ,030	,315	+ ,012 - ,012	,315	+ ,012 - ,012	,175	+ ,012 - ,012	,150	+ ,000 - ,012
393	3,938	,109	+ ,003 - ,003	3,642	+ ,020 - ,030	,315	+ ,012 - ,012	,315	+ ,012 - ,012	,175	+ ,012 - ,012	,150	+ ,000 - ,012
400	4,000	,109	+ ,003 - ,003	3,700	+ ,020 - ,030	,315	+ ,012 - ,012	,315	+ ,012 - ,012	,177	+ ,012 - ,012	,150	+ ,000 - ,012
412	4,125	,109	+ ,003 - ,003	3,800	+ ,020 - ,030	,331	+ ,012 - ,012	,331	+ ,012 - ,012	,183	+ ,016 - ,016	,169	+ ,000 - ,012
425	4,250	,109	+ ,003 - ,003	3,989	+ ,020 - ,030	,331	+ ,012 - ,012	,331	+ ,012 - ,012	,187	+ ,016 - ,016	,169	+ ,000 - ,012
437	4,375	,109	+ ,003 - ,003	4,106	+ ,020 - ,030	,331	+ ,012 - ,012	,331	+ ,012 - ,012	,189	+ ,016 - ,016	,169	+ ,000 - ,012
450	4,500	,109	+ ,003 - ,003	4,223	+ ,020 - ,030	,331	+ ,012 - ,012	,331	+ ,012 - ,012	,191	+ ,016 - ,016	,169	+ ,000 - ,012
475	4,750	,109	+ ,003 - ,003	4,458	+ ,020 - ,030	,331	+ ,012 - ,012	,331	+ ,012 - ,012	,193	+ ,016 - ,016	,169	+ ,000 - ,012
500	5,000	,109	+ ,003 - ,003	4,692	+ ,020 - ,030	,331	+ ,012 - ,012	,331	+ ,012 - ,012	,195	+ ,016 - ,016	,169	+ ,000 - ,012
525	5,250	,125	+ ,004 - ,004	4,927	+ ,020 - ,040	,378	+ ,012 - ,012	,378	+ ,012 - ,012	,201	+ ,016 - ,016	,169	+ ,000 - ,012
550	5,500	,125	+ ,004 - ,004	5,162	+ ,020 - ,040	,378	+ ,012 - ,012	,378	+ ,012 - ,012	,203	+ ,016 - ,016	,169	+ ,000 - ,012
575	5,750	,125	+ ,004 - ,004	5,396	+ ,020 - ,040	,378	+ ,012 - ,012	,378	+ ,012 - ,012	,211	+ ,016 - ,016	,169	+ ,000 - ,012
600	6,000	,125	+ ,004 - ,004	5,631	+ ,020 - ,040	,378	+ ,012 - ,012	,378	+ ,012 - ,012	,217	+ ,016 - ,016	,169	+ ,000 - ,012

segue - to continue - Fortsetzung folgt


 Dimensioni sede
 Housing dimensions
 Nutmaße

 Dimensioni anello
 Ring dimensions
 Ringmaße

 Dati Complementari
 Supplementary data
 Ergänzende Daten

 Libbre per 1.000 pezzi
 Pound per 1.000 pieces
 Pfund je 1.000 St.

 Pinza
 Plier
 Zange



2100-5100

1b

Dimensioni in pollici - Dimensions in inches - Abmessungen in Zoll

Rev. 003 - 14.01.2013

Ring n°	d ₁	d ₂		m		n	F _N	F _R	g	F _{Rg}	nabl	lbs	Pinza	
			+ - .		+ - .								A3	A31
325	3,250	3,076	+ - .006	,103	+ - .005	,261	20000	36134	,074	7350	6400	53,790	A3	A31
334	3,346	3,166	+ - .006	,103	+ - .005	,270	21000	37251	,076	7350	6000	62,502	A4	A41
343	3,438	3,257	+ - .006	,103	+ - .005	,270	21900	38266	,077	7350	5900	63,558	A4	A41
350	3,500	3,316	+ - .006	,120	+ - .005	,276	22800	45574	,073	10500	5900	89,276	A4	A41
354	3,543	3,357	+ - .006	,120	+ - .005	,279	23300	46183	,074	10500	5800	74,536	A4	A41
362	3,625	3,435	+ - .006	,120	+ - .005	,285	24300	47299	,076	10500	5700	79,838	A4	A41
368	3,688	3,493	+ - .006	,120	+ - .005	,291	25300	48010	,078	10500	5600	83,578	A4	A41
375	3,750	3,552	+ - .006	,120	+ - .005	,297	26200	48822	,080	10500	5500	95,568	A4	A41
387	3,875	3,673	+ - .006	,120	+ - .005	,303	27700	50446	,082	10500	5100	93,610	A4	A41
393	3,938	3,734	+ - .006	,120	+ - .005	,306	28400	51359	,082	10500	5200	102,410	A4	A41
400	4,000	3,792	+ - .006	,120	+ - .005	,312	29400	52171	,081	10500	5000	95,964	A4	A41
412	4,125	3,915	+ - .006	,120	+ - .005	,315	29800	53200	,081	10500	4900	102,564	A4	A41
425	4,250	4,065	+ - .006	,120	+ - .005	,276	27600	55419	,088	10500	4800	102,564	A4	A41
437	4,375	4,190	+ - .006	,120	+ - .005	,276	28400	57043	,088	10500	4700	112,200	A4	A41
450	4,500	4,310	+ - .006	,120	+ - .005	,285	30200	58667	,061	10500	4500	110,924	A4	A41
475	4,750	4,550	+ - .006	,120	+ - .005	,300	33600	61915	,069	10500	4200	115,412	A4	A41
500	5,000	4,790	+ - .006	,120	+ - .005	,315	37100	65163	,099	10500	4000	119,416	A4	A41
525	5,250	5,030	+ - .007	,139	+ - .006	,330	40800	78460	,101	13500	3900	191,400	A4	A41
550	5,500	5,265	+ - .007	,139	+ - .006	,351	45500	82215	,105	13500	3700	201,718	A4	A41
575	5,750	5,505	+ - .007	,139	+ - .006	,366	49600	85971	,110	13500	3500	217,404	A4	A41
600	6,000	5,745	+ - .007	,139	+ - .006	,381	53800	89625	,086	13500	3400	228,272	A4	A41

segue - to continue - Fortsetzung folgt




Dimensioni sede
Housing dimensions
Nutmaße

Dimensioni anello
Ring dimensions
Ringmaße

Dati Complementari
Supplementary data
Ergänzende Daten

Libbre per 1.000 pezzi
Pound per 1.000 pieces
Pfund je 1.000 St.

Pinza
Plier
Zange


 $d_1 \ 25 \div 106$

 $d_1 \ 112 \div 800$


1b

2100-5100

Dimensioni in pollici - Dimensions in inches - Abmessungen in Zoll

Ring n°	d ₁	s		d ₃		a		b		c		d ₅	
625	6,250	,156	+ ,005 - ,005	5,866	+ ,020 - ,050	,425	+ ,012 - ,012	,425	+ ,012 - ,012	,224	+ ,016 - ,016	,169	+ ,000 - ,012
650	6,500	,156	+ ,005 - ,005	6,100	+ ,020 - ,050	,531	+ ,012 - ,012	,488	+ ,016 - ,016	,291	+ ,016 - ,016	,169	+ ,000 - ,012
675	6,750	,156	+ ,005 - ,005	6,335	+ ,020 - ,050	,531	+ ,012 - ,012	,531	+ ,012 - ,012	,291	+ ,016 - ,016	,169	+ ,000 - ,012
700	7,000	,156	+ ,005 - ,005	6,570	+ ,050 - ,130	,531	+ ,012 - ,012	,531	+ ,012 - ,012	,291	+ ,016 - ,016	,169	+ ,000 - ,012
725	7,250	,187	+ ,005 - ,005	6,775	+ ,050 - ,130	,551	+ ,012 - ,012	,551	+ ,012 - ,012	,291	+ ,016 - ,016	,169	+ ,000 - ,012
750	7,500	,187	+ ,005 - ,005	7,009	+ ,050 - ,130	,551	+ ,012 - ,012	,551	+ ,012 - ,012	,291	+ ,016 - ,016	,169	+ ,000 - ,012
775	7,750	,187	+ ,005 - ,005	7,243	+ ,050 - ,130	,551	+ ,012 - ,012	,551	+ ,012 - ,012	,295	+ ,016 - ,016	,169	+ ,000 - ,012
800	8,000	,187	+ ,005 - ,005	7,478	+ ,050 - ,130	,551	+ ,012 - ,012	,551	+ ,012 - ,012	,295	+ ,016 - ,016	,169	+ ,000 - ,012

Rev_003 - 14.01.2013


 Dimensioni sede
 Housing dimensions
 Nutmaße

 Dimensioni anello
 Ring dimensions
 Ringmaße

 Dati Complementari
 Supplementary data
 Ergänzende Daten

 Libbre per 1.000 pezzi
 Pound per 1.000 pieces
 Pfund je 1.000 St.

 Pinza
 Plier
 Zange



2100-5100

1b

Dimensioni in pollici - Dimensions in inches - Abmessungen in Zoll

Rev. 003 - 14.01.2013

Ring n°	d ₁	d ₂		m		n	F _N	F _R	g	F _{Rg}	nabl	lbs	Pinza	
			+ .008 - .008		+ .008 - .000								A4	A41
625	6,250	5,985		,174		,396	58300	116522	,089	21000	3100	301,400	A4	A41
650	6,500	6,225		,174		,411	62900	121191	,114	21000	3000	349,624	A5	A51
675	6,750	6,465		,174		,426	67700	125860	,120	21000	3000	384,604	A5	A51
700	7,000	6,705		,174		,441	72700	130529	,125	21000	2900	392,040	A5	A51
725	7,250	6,942		,209		,460	78900	162096	,128	30000	2800	517,000	A5	A51
750	7,500	7,180		,209		,480	84800	167678	,132	30000	2700	550,000	A5	A51
775	7,750	7,420		,209		,495	90450	173261	,136	30000	2600	571,450	A5	A51
800	8,000	7,660		,209		,510	96100	178843	,141	30000	2500	594,000	A5	A51

Dimensioni sede
Housing dimensions
Nutmaße

Dimensioni anello
Ring dimensions
Ringmaße

Dati Complementari
Supplementary data
Ergänzende Daten

Libbre per 1.000 pezzi
Pound per 1.000 pieces
Pfund je 1.000 St.

Pinza
Plier
Zange